

Handwritten signature
OAKITE

EST. 1909



RECEIVED

OCT 9 1975

Director, S&A Division

PROPRIETARY CHEMICAL PRODUCTS FOR INDUSTRIAL CLEANING AND METAL TREATING

OAKITE PRODUCTS, INC.

TLX 138661

TEL. (201) 464-6900

GENERAL OFFICES: 50 VALLEY ROAD, BERKELEY HEIGHTS, N. J. 07922

PLEASE REPLY TO: 700 Middlesex Avenue, Metuchen, N. J. 08840 • Tel.: 549-5800

October 6, 1975

Environmental Protection Agency
Regional Office 11
Edison, New Jersey 08817

ATTENTION: Mr. William Librizzi, Chief
Emergency Response & Inspection Branch

Dear Mr. Librizzi:

In response to your letter of September 25, 1975, the following information is furnished as per your request.

- 1) Yes
- 2) 309,184 Gallons
- 3) None
- 4) No
- 5) All storage tank dikes and spill control was designed and certified by David Gordon, Larchmont, N.Y., Professional Engineer (N.J.) - License #11166

Date of Certification - 1961

- 6) Diking and spill control measures were implemented upon design and construction of storage tanks and dikes (1961).
- 7) Oakite Products, Inc.
50 Valley Road
Berkeley Heights, New Jersey 07922

Telephone - (201) 464-6900 (Owner)
(201) 549-5800 (Plant Manager)

- 8) Attached is a complete list of substances (including oil) stored or having the capacity to be stored as set forth in (1), (2) and (3).

252079



Very truly yours,

OAKITE PRODUCTS, INC.

Handwritten signature of John M. Flood
John M. Flood, Plant Manager

JMF:cly

BULK RM TANK STORAGE

Oakite Products, Inc. -- Metuchen, N. J.

<u>RM NO.</u>	<u>RAW MATERIAL</u>
549	Phosphoric Acid 80%
690	Nitric Acid
905	Tetrapotassium Pyrophosphate (60%)
721	Crude Fatty Acid
719	SAF-T-SOL 102 (Petroleum Distillate)
618	Dodecyl benzene sulfonic Acid Sodium Salt (liquid soap)
333	Liquid Caustic Potash 45-50%
929	Alox 2028 (Petroleum Base - Grease)
473	Soluble Oil
466	Sulfuric Acid 66° Baume
415	Liquid Soap
472	Pale Oil X
371	Fatty Acid - Refined
257-P	Methylene Chloride
18	Water
258	Gluconic Acid
80	Diethylene Glycol Mono-Ethyl Ether
554	Cresylic Acid
315	Igepal CA 630 (Non-ionic wetting agent)
240	Triethanolamine
27	Pine Oil X <i>most probably tall oil.</i>

<u>RM. NO.</u>	<u>RAW MATERIAL</u>
1089	Varsol #1 (Petroleum Fraction)
910	Aromatic Solvent (Petroleum Fraction)
970	Dispentene \
38	Ethylene Glycol N-Butyl Ether
901	Diethylene Glycol N-Butyl Ether
79	Kerosene
794	Saf-T-Solvent (Petroleum Fraction)
528	Aromatic Solvent
89	Muriatic Acid
	Fuel Oil